

L Number	Hits	Search Text	DB	Time stamp
-	63	(session near8 identif\$4) and (digest near11 (messag\$4 key\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/23 18:32
-	22	((server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4) and (second near11 server)) and (digest near11 (messag\$4 key\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:59
-	428	(server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4) and ((second different another) near11 server)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 17:46
-	15	((server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4) and ((second different another) near11 server)) and (digest\$4 near11 (messag\$4 key\$4)) and (secur\$4 near8 session) and (stat\$4 near8 (information data packet\$4 bit\$4)) and (ssl (secur\$4 adj socket\$4 adj layer)) and databas\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 16:35
-	19	(server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4) and (digest\$4 near11 (messag\$4 key\$4)) and (secur\$4 near8 session) and (stat\$4 near8 (information data packet\$4 bit\$4)) and (ssl (secur\$4 adj socket\$4 adj layer)) and (stat\$4 near11 databas\$4) and ((send\$4 forward\$4 transmi\$8 transfer\$6 receiv\$4 retriev\$4) near11 stat\$4 near11 (information data packet\$4 fram\$4 bit\$4 fil\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 17:48
-	6	((server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4) and ((second different another) near11 (server connection))) and (stat\$4 near11 (information data packet\$4 bit\$4) near11 databas\$4) and (ssl (secur\$4 adj socket\$4 adj layer)) and ((send\$4 forward\$4 transmi\$8 transfer\$6 receiv\$4 retriev\$4) near11 stat\$4 near11 (information data packet\$4 fram\$4 bit\$4 fil\$4)) not (((server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4) and ((second different another) near11 (server connection))) and (digest\$4 near11 (messag\$4 key\$4)) and (stat\$4 near11 (information data packet\$4 bit\$4) near11 databas\$4) and (ssl (secur\$4 adj socket\$4 adj layer)) and ((send\$4 forward\$4 transmi\$8 transfer\$6 receiv\$4 retriev\$4) near11 stat\$4 near11 (information data packet\$4 fram\$4 bit\$4 fil\$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 18:11
-	84	((server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4) and ((second different another) near11 server)) and (secur\$4 near8 session)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 08:36
-	482	(server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4) and ((second different another) near11 (server connection))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 08:36

-	5	(server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4 near11 stat\$4) and ((second different another) near11 (server connection)) and (ssl (secur\$4 adj socket\$4 adj layer)) and (secur\$4 near8 session) not (((server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4) and ((second different another) near11 (server connection))) and (digest\$4 near11 (messag\$4 key\$4)) and (stat\$4 near11 (information data packet\$4 bit\$4) near11 databas\$4) and (ssl (secur\$4 adj socket\$4 adj layer)) and ((send\$4 forward\$4 transmi\$8 transfer\$6 receiv\$4 retriev\$4) near11 stat\$4 near11 (information data packet\$4 fram\$4 bit\$4 fil\$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/23 18:21
-	9	(server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4 near11 stat\$4) and ((second different another) near11 (server connection)) and (ssl (secur\$4 adj socket\$4 adj layer)) not (((server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4) and ((second different another) near11 (server connection))) and (digest\$4 near11 (messag\$4 key\$4)) and (stat\$4 near11 (information data packet\$4 bit\$4) near11 databas\$4) and (ssl (secur\$4 adj socket\$4 adj layer)) and ((send\$4 forward\$4 transmi\$8 transfer\$6 receiv\$4 retriev\$4) near11 stat\$4 near11 (information data packet\$4 fram\$4 bit\$4 fil\$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 15:50
-	1	(server near11 (multipl\$4 pluralit\$4 many) same stat\$4 near8 (information data packet\$4 bit\$4) near11 identif\$5) and (ssl (secur\$4 adj socket\$4 adj layer)) not bowman\$7.in.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 13:35
-	19	((server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4) and ((second different another) near11 (server connection))) and (digest\$4 near11 (messag\$4 key\$4)) and (stat\$4 near11 (information data packet\$4 bit\$4) near11 databas\$4) and (ssl (secur\$4 adj socket\$4 adj layer)) and ((send\$4 forward\$4 transmi\$8 transfer\$6 receiv\$4 retriev\$4) near11 stat\$4 near11 (information data packet\$4 fram\$4 bit\$4 fil\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 17:01
-	57	(session near8 identif\$4) and (messag\$4 adj2 digest )	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 15:33
-	9	((server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4) and ((second different another) near11 server)) and (digest\$4 near11 (messag\$4 key\$4)) and (secur\$4 near8 session) and (stat\$4 near8 (information data packet\$4 bit\$4) and (ssl (secur\$4 adj socket\$4 adj layer)) and (stat\$4 near11 databas\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 15:38
-	24	(server near11 (multipl\$4 pluralit\$4 many) same stat\$4 near8 (information data packet\$4 bit\$4)) and (ssl (secur\$4 adj socket\$4 adj layer)) not bowman\$7.in.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 15:48
-	22	((server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4) and (second near11 server)) and (digest\$4 near11 (messag\$4 key\$4)) and (secur\$4 near8 session)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 12:46

-	120	(server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4) and ((second different another) near11 (server connection)) and (secur\$4 near8 session)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 15:55
-	61	((server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4) and ((second different another) near11 (server connection)) and (secur\$4 near8 session)) and ((maintain\$4 "same") with (key public privat\$4 cryptograph\$4 encrypt\$6)) and (new\$3 with (connection shar\$4 session)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 16:03
-	55	((server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4) and ((second different another) near11 (server connection)) and (secur\$4 near8 session)) and ((maintain\$4 "same") with (key public privat\$4 cryptograph\$4 encrypt\$6)) and (new\$3 with (connection shar\$4 session))) not accenture.as.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 16:03
-	40	((server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4) and ((second different another) near11 (server connection)) and (secur\$4 near8 session)) and ((maintain\$4 "same") with (key public privat\$4 cryptograph\$4 encrypt\$6) same (connection shar\$4 session)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 16:03
-	28	((server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4) and (second near11 server)) and (digest\$4 near11 (messag\$4 key\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 17:33
-	47	(server near11 (multipl\$4 pluralit\$4 many)) and ((second different another) near11 server) and (ssl (secur\$4 adj socket\$4 adj layer)) and (stat\$4 near8 (information data packet\$4 bit\$4) near11 identif\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 20:38
-	21	((server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4) and ((second different another) near11 server)) and (digest\$4 near11 (messag\$4 key\$4)) and (secur\$4 near8 session) and (stat\$4 near8 (information data packet\$4 bit\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 17:33
-	7	((server near11 (multipl\$4 pluralit\$4 many)) and ((second different another) near11 server) and (ssl (secur\$4 adj socket\$4 adj layer)) and (stat\$4 near8 (information data packet\$4 bit\$4) near11 identif\$5) and ((session connect\$6) with establ\$6 with (reus\$4 exist\$4 "same"))) not bowman\$6.in.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 20:39
-	291	(ssl (secur\$4 adj socket\$4 adj layer)) and ((second another) with (server firewall gateway prox\$4)) and ((session connect\$6) with (reus\$4 exist\$4 maintain\$4 "same"))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 21:08
-	270	(ssl (secur\$4 adj socket\$4 adj layer)) and ((second another) with (server prox\$4)) and ((session connect\$6) with (reus\$4 exist\$4 maintain\$4 "same"))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 21:10
-	191	(ssl (secur\$4 adj socket\$4 adj layer)) and ((second another) near3 (server prox\$4)) and ((session connect\$6) with (reus\$4 exist\$4 maintain\$4 "same"))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 21:19
-	16	(ssl (secur\$4 adj socket\$4 adj layer)) and ((second another) near3 (server prox\$4)) same ((session connect\$6) with (reus\$4 exist\$4 maintain\$4 "same"))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 21:14

-	105	((ssl (secur\$4 adj socket\$4 adj layer)) and (secure near4 connect\$5) and ((second another) near3 (server prox\$4)) and ((session connect\$6) with (reus\$4 exist\$4 maintain\$4 "same")))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 21:19
-	85	((ssl (secur\$4 adj socket\$4 adj layer)) same session same (maintain\$4 "same") same (server firewall gateway prox\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 09:19
-	44	((ssl (secur\$4 adj socket\$4 adj layer)) and ((second another) with (server prox\$4)) same ((session connect\$6) with (reus\$4 exist\$4 maintain\$4 "same")))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 09:19
-	20	((ssl (secur\$4 adj socket\$4 adj layer)) and ((second\$4 another) near3 (server prox\$4)) same ((session connect\$6) with (reus\$4 exist\$4 maintain\$4 "same")))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 09:19
-	39	((server near11 (multipl\$4 pluralit\$4 many)) and ((second different another) near11 server) and (ssl (secur\$4 adj socket\$4 adj layer)) and (stat\$4 near8 (information data packet\$4 bit\$4) near11 identif\$5) and ((session connect\$6) with establ\$6 with (reus\$4 exist\$4 "same")))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 09:19
-	20	((ssl (secur\$4 adj socket\$4 adj layer)) same session same (maintain\$4 "same") same (server firewall gateway prox\$4)) and ((session connect\$6) with establ\$6 with (reus\$4 exist\$4 "same")))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 09:19
-	22	((server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4) and ((second different another) near11 server)) and (digest\$4 near11 (messag\$4 key\$4)) and (secur\$4 near8 session) and (stat\$4 near8 (information data packet\$4 bit\$4)) and (ssl (secur\$4 adj socket\$4 adj layer))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 09:19
-	30	((server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4) and ((second different another) near11 server)) and (digest\$4 near11 (messag\$4 key\$4)) and (secur\$4 near8 session)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 09:19